

Fremdlüfteraggregat FBI, IP 66, Mb. 0K ABB

Forced Ventilation Unit FBI, IP 66, drw. 0K ABB

Ventilation Forcée FBI, IP 66, dessin 0K ABB

Gruppi per ventilazione assistita FBI, IP 66, disegno 0K ABB



Grupo de ventilación asistida FBI, IP 66, diseño 0K ABB

ABB

MTF / M2AAF / MBTF

Bg. 63 – 132 RBK

Stand: Mai 04



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Af1 Ø	Af2 Ø	Az	Ah	B	Bz	C	M	D	E Ø (LL)	F Ø (LL)	G	GQ Ø	I Ø	K	X	Gr	Hz Hz	Artikel-Nr. Item number Numéro d'article No. articolo No. articola
MTF / M2AAF 63	63-2 RBK	-	-	121	121	151	41	35	6	116	M4	4,8	6	-	105	57	87	5	1,0	FV ABB 063 0K 121 151
MTF / M2AAF 71	63-2 RBK	136	136	121	121	136	26	20	6	116	M4	4,8	-	130	105	57	87	5	1,0	FV ABB 071 0K 136 136
MTF / M2AAF 80	71-2 RBK	155	155	136	136	145	53	30	23	115	M5	5,8	-	146	125	60,5	68	5	1,0	FV ABB 080 0K 155 145
MTF / M2AAF 90	80-2 RBK	174	174	154	154	143	53	30	23	113	M5	5,8	-	167	135	61	72,5	5	1,0	FV ABB 090 0K 174 143
MTF 100/112	90-2 RBK	194	194	174	174	148	48	30	18	118	M5	5,8	-	187	160	70	83,5	5	1,0	FV ABB 100 0K 194 148
M2AAF 100	90-2 RBK	194	194	174	174	148	48	30	18	118	M5	5,8	-	187	160	70	83,5	5	1,0	FV ABB 100 0K 194 148
MBTF 112	100-2 RBK	216	242	192	192	153	43	30	13	123	M5	5,8	-	228	180	77	92,5	5	1,0	FV ABB 112 0K 192 153
MBTF 132	112-2 RBK	244	272	216	216	155	41	26	15	129	M5	5,8	-	255	194	83	96,5	5	1,0	FV ABB 132 0K 272 155
M2AAF 112	112-2 RBK	217	248	213	216	174	60	45	15	129	M5	5,8	-	233	194	83	96,5	5	1,0	FV ABB 112 0K 217 174
M2AAF 132	132-2 RBK	258	293	252	255	174	42	45	-3	129	M5	7	-	278	240	94	114,5	5	1,0	FV ABB 132 0K 252 174
M2AAF 112 Br	112-2 RBK	217	248	213	216	224	110	95	15	129	M5	5,8	-	233	194	83	96,5	5	1,0	FV ABB 112 0K 217 224
M2AAF 132 Br	132-2 RBK	258	293	252	255	224	92	95	-3	129	M5	7	-	278	240	94	114,5	5	1,0	FV ABB 132 0K 252 224

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 0K ABB

Forced Ventilation Unit FBI, IP 66, drw. 0K ABB

Ventilation Forcée FBI, IP 66, dessin 0K ABB


Gruppi per ventilazione assistita FBI, IP 66, disegno 0K ABB

Grupo de ventilación asistida FBI, IP 66, diseño 0K ABB



ABB

M2VA Bg. 71 – 132 RBK

Stand: Aug 04



M2VA
Bg. 63-132



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Af1 Ø	Af2 Ø	Az	Ah	B	Bz	C	M	D	E Ø (LL)	F Ø (LL)	Gr	GQ Ø	I Ø	K	X	Hz	Hh	Artikel-Nr. Item number Numéro d'article No. articolo No. articula
M2VA 71	63-2 RBK	124	143	121	121	151	41	35	6	116	M4	4,8	5	138	115	57	87	1,0	1,0	FV ABB 071 0K 124 151
M2VA 80	71-2 RBK	141	163	136	136	150	58	35	23	115	M5	4,8	5	158	130	60,5	68	1,0	1,0	FV ABB 080 0K 141 150
M2VA 90	80-2 RBK	172	202	154	154	153	63	40	23	113	M5	5,8	5	190	146	61	72,5	1,0	1,0	FV ABB 090 0K 172 153
M2VA 100	90-2 RBK	192	222	174	174	158	58	40	18	118	M5	5,8	5	210	167	70	83,5	1,0	1,0	FV ABB 100 0K 192 158
M2VA 112	100-2 RBK	217	248	192	192	168	58	45	13	123	M5	5,8	5	233	185	77	92,5	1,0	1,0	FV ABB 112 0K 217 168
M2VA 132	112-2 RBK	258	292	216	216	174	60	45	15	129	M5	5,8	5	278	209	83	96,5	1,0	1,0	FV ABB 132 0K 258 174

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 0K ABB

Forced Ventilation Unit FBI, IP 66, drw. 0K ABB

Ventilation Forcée FBI, IP 66, dessin 0K ABB


Gruppi per ventilazione assistita FBI, IP 66, disegno 0K ABB

Grupo de ventilación asistida FBI, IP 66, diseño 0K ABB


ABB

M2AA / M3AA Bg. 112 – 250 RBK


Stand: Nov. 04





M2AA 160 / 180
M3BP 160 / 180



M2AA 160L-180L
M2AA 200 - 250



M3AA 112 - 160



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Af1 Ø	Af2 Ø	Ah	B	Bz	C	D	M	F Ø (LL)	G	E Ø (LL)	Gr	H	So Ø	Sr	Fa	Sb	St	X	Artikel-Nr. Item number Numéro d'article No. articolo No. articola
M2AA 160 M4	160 S-RBK	310	334	307	262	226	109	153	17	6 x 9	13	7x14	25	40	-	-	12	-	-	75	FV ABB 160 0K 334 262
M2AA 160 L	160 S-RBK	310	334	307	303	167	150	153	17	7x14	27	7x14	25	40	-	-	-	-	-	75	FV ABB 160 0K 334 303
M2AA 180 L	180 S-RBK	346	358	345	307	152	160	147	-8	9	12	7x14	25	40	-	-	-	-	-	85	FV ABB 180 0K 358 307
M2AA 160	160 S-RBK	308	328	307	267	131	114	153	17	9	10	7x14	25	40	-	-	17,5	-	-	75	FV ABB 160 0K 328 267
M2AA 160 Br	160 S-RBK	308	328	307	308	170	155	153	17	9	10	7x14	25	40	-	-	17,5	-	-	75	FV ABB 160 0K 328 308
M2AA 180	180 S-RBK	352	359	345	307	152	160	147	-8	9	12	7x14	25	40	-	-	17,5	-	-	85	FV ABB 180 0K 359 307
M2AA 180 Br	180 S-RBK	352	359	345	327	172	180	147	-8	9	12	7x14	25	40	-	-	17,5	-	-	85	FV ABB 180 0K 359 327
M3BP 180	180 S-RBK	354	360	345	307	152	160	147	-8	7x14	12	7x14	25	40	24	55	18	-	-	85	FV ABB 180 0K 354 307
M2AA 200	200 S-RBK	384	409	382	317	139	170	147	-31	7x14	29,5	7x14	25	45	-	-	-	-	-	105	FV ABB 200 0K 409 317
M2AA/M3AA 225	200 S-RBK	422	459	382	337	159	190	147	-31	7x14	29,5	7x14	25	45	-	-	-	-	-	105	FV ABB 225 0K 459 337
M2AA /M3AA/M3BP250	225 S-RBK	471	506	430	341	149	190	151	-41	7x14	29,5	7x14	25	45	-	-	-	-	-	115	FV ABB 250 0K 506 341
M3AA 112	100 RBK	221	242	192	233	123	110	123	13	10	17,5	6x9	5	45	-	-	15	12	12	92,5	FV ABB 112 0K 242 233
M3AA 132	112 RBK	256	289	216	269	155	140	129	15	10	17,5	6x9	5	45	-	-	15	12	12	96,5	FV ABB 132 0K 289 269
M3AA 160	132 RBK			255				129	-3			6x9	5							114,5	

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!
Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série!
Diferencias de cotas (B,G) pueden ser entregadas!

Different diameters (A, B, G), special versions available!
Deviazione di misure (B,G) sono disponibili!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 0K ABB

Forced Ventilation Unit FBI, IP 66, drw. 0K ABB

Ventilation Forcée FBI, IP 66, dessin 0K ABB

Gruppi per ventilazione assistita FBI, IP 66, disegno 0K ABB


Grupo de ventilación asistida FBI, IP 66, diseño 0K ABB

ABB



M2BA

Bg. 132 – 225 RBK

Stand: Jan. 05



M2BA 132 - 225



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Az Ø	Ah Ø	UM	MO	B	Bz	C	D	F Ø (LL)	E Ø (LL)	M	G	Gr	I	Hz / Hh	So Ø	K	Ra	X	Artikel-Nr. Item number Numéro d'article No. articolo No. articula
	112 -2 RBK	216							129	M5	15		5	209	1,0		83		96,5		
M2BA 132 S	132 -2 RBK	255	255	-	-	249	117	120	129	5,8	M5	-3	40	5	209	1,0	-	94	-	114,5	FV ABB 132 0K 255 249
M2BA 160 L	160 -2 RBK	330	307	-	-	296	160	143	153	5,8	M6	17	24	25	275	1,5	-	111	-	75	FV ABB 160 0K 330 296
M2BA 180	180 -2 RBK		345						147		M6	-8		25	300	1,5		120		85	
M2BA 200	200 -2 RBK	395	382	-	-	337	159	190	147	8	M6	-31	32	25	300	1,5	-	140	-	105	FV ABB 200 0K 395 337
M2BA 225	225 -2 RBK	458	430	215	229	306	114	155	151	7	M6	-41	30	25	300	1,5	25	150	55	115	FV ABB 225 0K 458 306

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 1K ABB

Forced Ventilation Unit FBI, IP 66, drw. 1K ABB

Ventilation Forcée FBI, IP 66, dessin 1K ABB


Gruppi per ventilazione assistita FBI, IP 66, disegno 1K ABB

Grupo de ventilación asistida FBI, IP 66, diseño 1K ABB

ABB

M2AA / M3BP Bg. 200 – 315 RBK

Stand: April 08



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Af1	Af2	Az Ø	Ah Ø	B	Bz	C	M	D	G	F Ø (LL)	E Ø (LL)	Gr	Hz	Sb	Sr	Sa	I Ø	X	Artikel-Nr. Item number Numéro d'article No. articolo No. articula
M2AA 200	200-4 RBK	384	409	-	382	417	139	170	69	247	29,5	7x14	7x14	25	1,5	16	26	35	295	105	FV ABB 200 1K 409 417
M2AA 225	200-4 RBK	422	459	-	382	437	159	190	69	247	29,5	7x14	7x14	25	1,5	16	26	41,5	295	105	FV ABB 225 1K 459 437
M2AA 250	225-4 RBK	471	506	-	430	434	242	190	52	244	29,5	7x14	7x14	25	1,5	16	26	45,5	295	115	FV ABB 250 1K 506 434
M3BP 280	280-4 RBK	-	-	545	533	570	332	270	62	300	30	11	9x16	25	2,0	-	-	-	400	150	FV ABB 280 1K 545 570
M3BP 315	315-4 RBK	-	-	620	597	587	330	290	40	297	35	11	9x16	25	2,0	-	-	-	400	170	FV ABB 315 1K 620 587
Zylindrische Hauben-Ausführung																					
M3BP 355	355-4 RBK			716	691	683	440	350	90	333	35	20	9x16	25	2,5	-	-	-	530	150	FV ABB 355 1K 716 683
M3BP 400	355-4 RBK			806	691	613	370	280	90	333	36	20	9x16	25	2,5	-	-	-	530	150	FV ABB 400 1K 806 613

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



